

PRODUCT CATALOG




Akko

| MONSGEEK

Shenzhen Yincheng Technology Co., Ltd

Shenzhen Yincheng Technology Co., Ltd is a leading manufacturer and supplier of mechanical keyboards. Yincheng offers OEM and tailored ODM services with a strict 45-day lead time for our clients in over 50 countries. The factory is ISO compliant, ensuring high-quality standards are maintained throughout the production process.

In addition to OEM & ODM services, our factory has launched two popular brands, Akko and MonsGeek, which have gained a strong reputation in the industry for their quality and innovation.



Branding, Marketing and Localization



Factory (Bao'an District, Shenzhen)

ISO-9001 Certified / 6000m² / 20+R&D Team



Strict Quality Control



PCBa Production



Automated Keyboard Assembly



Circuit Design

Custom Mechanical Keyboards

You can buy one fully assembled and replace any part you wish.
Create your signature typing experience.It's all about DIY and user preference.



Keyboard



Stabilizers

Coiled Cable



Barebone Kit

Mouse



Wrist Rest

Mousepad




Keycaps
Collection Box

Key Switches



Keycaps

OEM/ODM Services in Peripheral Industry



Menu

■ Acrylic

40%	01
59key/HHKB	01
60%	02
65%	02
75%	03
Alice	04

■ ABS

65%	06
75%	06
TKL	09
1800 Compact	10
96%	11
Full-Size	12

■ Aluminum

65%	16
75%	17
TKL	19
1800 Compact	20
Full-Size	21
Alice	22

■ Polycarbonate

75%	24
1800 Compact	25

■ Switch

27

■ Mouse

39

■ Keycap

35


■ Software Solutions

40



Acrylic


Yinchen offers a variety of acrylic mechanical keyboards with a flexible MOQ to serve better RGB experiences.

Layout	40%	
Demo		
Model	ACR TOP 40	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Top
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	256x110x30mm
	Weight	Approximately 0.4kg


Layout	59key/HHKB	
Demo		
Model	ACR59	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	292x101x37mm
	Weight	Approximately 0.5kg


Layout	60%	
Demo		
Model	ACR 61	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	292x101x37mm
	Weight	Approximately 0.5kg

Layout	65%	
Demo		
Model	ACR Pro 68	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	353x120x30mm
	Weight	Approximately 0.75kg

Layout	75%	
Demo		
Model	ACR 75 v2 Kit	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	329x144x30mm
	Weight	Approximately 0.8kg

Layout	Alice	
Demo		
Model	ACR Pro Alice Plus	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	380x150x21mm
	Weight	Approximately 0.75kg


Layout	65%	
Demo		
Model	ACR 64	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	310x120x25mm
	Weight	Approximately 0.75kg


Layout	75%	
Demo		
Model	ACR Pro 75 Kit	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	329x144x30mm
	Weight	Approximately 0.8kg




ABS


ABS Keyboards: Classic, Budget-Friendly, and Corrosion-Resistant Choices.


Layout	65%	
Demo		
Model	3068B Plus	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	316x107x39mm
	Weight	Approximately 0.7kg

Layout	75%	
Demo		
Model	5075S	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	335x146x42mm
	Weight	Approximately 0.88kg


Layout	75%	
Demo		
Model	5075S VIA	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	VIA/QMK
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	335x146x42mm
	Weight	Approximately 0.8kg


Layout	75%	
Demo		
Model	3084B Plus	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	315x126x38mm
	Weight	Approximately 0.73kg


Layout	75%	
Demo		
Model	5075B Plus	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	335x146x42mm
	Weight	Approximately 1.5kg


Layout	75%	
Demo	 <div> <input type="checkbox"/> <input checked="" type="checkbox"/> </div>	
Model	MG75W	
Spec	Interface	Wireless/USB Type C
	RGB Backlit	N/A
	Hot-Swap	Yes
	Mount	Tray
	N-Key Rollover	Supported
	Software	Cloud Driver
	PCB Orientation	North-facing PCBa
	Dimensions	33.3x14.35x3.2cm
	Weight	Approximately 0.65kg


Layout	TKL	
Demo		
Model	5087S VIA	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	VIA/QMK
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	382x134x40mm
	Weight	Approximately 1.05kg


Layout	TKL	
Demo		
Model	3087	
Spec	Interface	USB Type C
	RGB Backlit	N/A
	Hot-Swap	N/A
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	359x140x41mm
	Weight	Approximately 0.95kg


Layout	1800 Compact	
Demo		
Model	3098B	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	382x134x40mm
	Weight	Approximately 1.1kg


Layout	1800 Compact	
Demo		
Model	3098S	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	382x134x40mm
	Weight	Approximately 1.1kg


Layout	1800 Compact	
Demo		
Model	3098	
Spec	Interface	USB Type C
	RGB Backlit	N/A
	Hot-Swap	N/A
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	382x134x40mm
	Weight	Approximately 1.1kg

Layout	96%	
Demo		
Model	3096	
Spec	Interface	USB Type C
	RGB Backlit	N/A
	Hot-Swap	N/A
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	380x130x30mm
	Weight	Approximately 1.05kg

Layout	Full-Size	
Demo		
Model	3108	
Spec	Interface	USB Type C
	RGB Backlit	N/A
	Hot-Swap	N/A
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	440x140x41mm
	Weight	Approximately 1.2kg

Layout	Full-Size	
Demo		
Model	5108S	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Macro	Akko Macro V1.0
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	440x140x41mm
	Weight	Approximately 1.2kg

Layout	Full-Size	
Demo		
Model	MG108B	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Battery	3000mAh
	N-Key Rollover	Supported
	Software	Cloud Driver
	Dimensions	445x139x42mm
	Weight	Approximately 1.18kg

Layout	Full-Size	
Demo		
Model	MG108	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	N/A
	Mount	Tray
	Battery	N/A
	N-Key Rollover	Supported
	Software	Cloud Driver
	Dimensions	445x139x42mm
	Weight	Approximately 1.18kg


Layout	Full-Size	
Demo		
Model	MX108	
Spec	Interface	Wireless/Bluetooth
	RGB Backlit	N/A
	Hot-Swap	N/A
	Compatible System	Mac/Windows
	Battery	300mAh
	N-Key Rollover	Supported
	Software	Cloud Driver
	Dimensions	445x135x21mm
	Weight	Approximately 0.65kg


Layout	Full-Size	
Demo		
Model	MG108W	
Spec	Interface	Wireless/Bluetooth
	RGB Backlit	N/A
	Hot-Swap	Yes
	Mount	Tray
	Battery	500mAh
	N-Key Rollover	Supported
	Software	Cloud Driver
	Dimensions	445x137x42mm
	Weight	Approximately 1.15kg




Aluminum


Aluminum keyboards are premium choices for sturdy and elevated typing experiences.


Layout	65%	
Demo		
Model	SPR 67 Kit	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Spring
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.9kg


Layout	65%	
Demo		
Model	MOD 005	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	323x119x29mm
	Weight	Approximately 1.9kg


Layout	75%	
Demo		
Model	MOD 006	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.76kg


Layout	75%	
Demo		
Model	MOD 007	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.9kg

Layout	75%	
Demo		
Model	M1	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Battery	N/A
	N-Key Rollover	Supported
	Software	Cloud Driver/QMK
	Dimensions	332x147x33mm
	Weight	Approximately 1.96kg


Layout	75%	
Demo		
Model	M1W	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Battery	6000mAh
	N-Key Rollover	Supported
	Software	Cloud Driver
	Dimensions	332x147x33mm
	Weight	Approximately 1.85kg


Layout	75%	
Demo		
Model	SPR75	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Spring
	Macro	Cloud Driver/QMK
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.86kg

Layout	TKL	
Demo		
Model	MOD 001	
Spec	Interface	USB Type C
	RGB Backlit	N/A
	Hot-Swap	Yes
	Mount	Tray
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.9kg


Layout	TKL	
Demo		
Model	M3	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Tray
	Battery	N/A
	N-Key Rollover	Supported
	Software	Cloud Driver/QMK
	Dimensions	366x146x34mm
	Weight	Approximately 2kg

Layout	1800 Compact	
Demo		
Model	MOD 003	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver
	N-Key Rollover	Supported
	Disable Winlock	Supported
	Dimensions	332x146x34mm
	Weight	Approximately 1.9kg

Layout	1800 Compact	
Demo		
Model	M2	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Battery	N/A
	N-Key Rollover	Supported
	Software	Cloud Driver/QMK
	Dimensions	391x146x33mm
	Weight	Approximately 2.15kg

Layout	Full-Size	
Demo		
Model	M5	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Battery	N/A
	N-Key Rollover	Supported
	Software	Cloud Driver/QMK
	Dimensions	446x146x33mm
	Weight	Approximately 2.5kg


Layout	Full-Size	
Demo		
Model	6104S RGB	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	N/A
	Mount	Tray
	Macro	Akko Macro V1.0


Layout	Alice	
Demo		
Model	M6	
Spec	Interface	USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Battery	N/A




Polycarbonate

Polycarbonate keyboards provides a better toughness comparing to ABS and can be translucent for improved RGB experiences.

Layout	75%	
Demo		
Model	MOD 007 PC	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Gasket
	Macro	Cloud Driver

Layout	75%	
Demo		
Model	PC75B Plus	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Top
	Macro	Cloud Driver

Layout	1800 Compact	
Demo		
Model	PC98B Plus	
Spec	Interface	Wireless/Bluetooth/USB Type C
	RGB Backlit	Yes
	Hot-Swap	Yes
	Mount	Top
	Macro	Cloud Driver



Switches


Type	Linear	
Demo		
Model	Akko V3 Matcha Green Pro	
Spec	Operating Force	50gf ± 5gf
	Total Travel	3.8mm
	Pre-Travel	2.0 ± 0.5mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko V3 Crystal Pro	
Spec	Operating Force	43gf ± 5gf
	Total Travel	4.0 - 0.5mm
	Pre-Travel	1.6 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	PC/PC/PC
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko V3 Silver Pro	
Spec	Operating Force	40gf ± 5gf
	Total Travel	3.3mm
	Pre-Travel	1.0 ± 0.5mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Linear	
Demo		
Model	Akko V3 Piano Pro	
Spec	Operating Force	45gf ± 5gf
	Total Travel	3.5mm
	Pre-Travel	1.9 ± 0.5mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin


Type	Linear	
Demo		
Model	Akko V3 Cream Black Pro	
Spec	Operating Force	55gf ± 5gf
	Total Travel	3.3mm
	Pre-Travel	2.0 ± 0.5mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Linear	
Demo		
Model	Akko V3 Cream Yellow Pro	
Spec	Operating Force	50gf ± 10gf
	Total Travel	3.3mm
	Pre-Travel	2.0 ± 0.6mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Silver	
Spec	Operating Force	43gf ± 5gf
	Total Travel	3.0 ± 0.3mm
	Pre-Travel	1.0 ± 0.5mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Piano Switch (Lubed)	
Spec	Operating Force	48gf ± 5gf
	Total Travel	3.5 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Linear	
Demo		
Model	Akko Haze Pink Silent	
Spec	Operating Force	43gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Air	
Spec	Operating Force	48gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Snow Blue Gray	
Spec	Operating Force	43gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Linear	
Demo		
Model	Akko CS Crystal Wine Red	
Spec	Operating Force	45gf ± 5gf
	Total Travel	3.6 ± 0.3mm
	Pre-Travel	1.6 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	PC/PC/PC
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Crystal Silver	
Spec	Operating Force	43gf ± 5gf
	Total Travel	3.0 ± 0.3mm
	Pre-Travel	1.0 ± 0.6mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	PC/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Crystal Blue	
Spec	Operating Force	40gf ± 5gf
	Total Travel	4.0 - 0.5mm
	Pre-Travel	1.6 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	PC/PC/PC
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Crystal	
Spec	Operating Force	43gf ± 5gf
	Total Travel	4.0 - 0.5mm
	Pre-Travel	1.6 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	PC/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko V3 Cream Yellow	
Spec	Operating Force	50gf ± 5gf
	Total Travel	3.5 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Wine Red (Lubed)	
Spec	Operating Force	43gf ± 5gf
	Total Travel	4.0 - 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Sakura	
Spec	Operating Force	39gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Matcha Green	
Spec	Operating Force	50gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin


Type	Linear	
Demo		
Model	Akko CS Radiant Red	
Spec	Operating Force	53gf ± 5gf
	Total Travel	3.5 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Starfish	
Spec	Operating Force	50gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Vintage White	
Spec	Operating Force	35gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Rose Red	
Spec	Operating Force	43gf ± 5gf
	Total Travel	3.5 ± 0.2mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Jelly Black	
Spec	Operating Force	50gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko POM Pink	
Spec	Operating Force	45gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/POM/POM
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko POM Silver	
Spec	Operating Force	43gf ± 5gf
	Total Travel	3.0 ± 0.3mm
	Pre-Travel	1.0 ± 0.6mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/POM/POM
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Jelly Pink	
Spec	Operating Force	45gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Linear	
Demo		
Model	Akko CS Jelly White	
Spec	Operating Force	35gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	N/A
	Tactile Force	N/A
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Tactile	
Demo		
Model	Akko V3 Lavender Purple Pro	
Spec	Operating Force	40gf ± 5gf
	Total Travel	3.8mm
	Pre-Travel	1.9 ± 0.5mm
	Tactile Position	0.5mm
	Tactile Force	55gf ± 10gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Tactile	
Demo		
Model	Akko V3 Cream Blue Pro	
Spec	Operating Force	45gf ± 10gf
	Total Travel	3.3mm
	Pre-Travel	2.2 ± 0.5mm
	Tactile Position	0.1mm
	Tactile Force	55gf ± 10gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	5-pin

Type	Tactile	
Demo		
Model	Akko CS Wine White (Lubed)	
Spec	Operating Force	36gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	0.5 ± 0.3mm
	Tactile Force	55gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Tactile	
Demo		
Model	Akko CS Sponge	
Spec	Operating Force	40gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	0.3 ± 0.2mm
	Tactile Force	60gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Tactile	
Demo		
Model	Akko V3 Cream Blue	
Spec	Operating Force	38gf ± 5gf
	Total Travel	3.5 ± 0.3mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	0.5 ± 0.3mm
	Tactile Force	53gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin


Type	Tactile	
Demo		
Model	Akko CS Lavender Purple	
Spec	Operating Force	36gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	0.5 ± 0.3mm
	Tactile Force	50gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin

Type	Tactile	
Demo		
Model	Akko CS Jelly Purple	
Spec	Operating Force	40gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	0.5 ± 0.3mm
	Tactile Force	56gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin

Type	Tactile	
Demo		
Model	Akko CS Jelly Blue	
Spec	Operating Force	40gf ± 5gf
	Total Travel	4.0 ± 0.3mm
	Pre-Travel	2.0 ± 0.3mm
	Tactile Position	0.3 ± 0.2mm
	Tactile Force	60gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PC
	3-pin/5-pin	3-pin


Type	Tactile	
Demo		
Model	Akko POM Brown	
Spec	Operating Force	40gf ± 5gf
	Total Travel	4.0 - 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	1.0 ± 0.3mm
	Tactile Force	50gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/POM/POM
	3-pin/5-pin	3-pin


Type	Tactile	
Demo		
Model	Akko CS Ocean Blue	
Spec	Operating Force	36gf ± 5gf
	Total Travel	4.0 ± 0.5mm
	Pre-Travel	1.9 ± 0.3mm
	Tactile Position	0.5 ± 0.3mm
	Tactile Force	45gf ± 5gf
	Materials(Stem/Top/Bottom)	POM/PC/PA
	3-pin/5-pin	3-pin





Keycaps





Profile	JDA
Demo	
Model	Red Fuji
Material	PBT Dye-Sublimation


Profile	JDA
Demo	
Model	Provence
Material	PBT Dye-Sublimation


Profile	JDA
Demo	
Model	World Tour-Beijing
Material	PBT Dye-Sublimation


Profile	JDA
Demo	
Model	World Tour-Shanghai
Material	PBT Dye-Sublimation


Profile	OSA
Demo	
Model	Palace
Material	PBT Double-Shot

Profile	OSA
Demo	
Model	World Tour Tokyo R2 SP
Material	PBT Dye-Sublimation


Profile	Cherry
Demo	
Model	Marrs Green
Material	ABS Double-Shot


Profile	Cherry
Demo	
Model	Warm Gray
Material	PBT Double-Shot


Profile	Cherry
Demo	
Model	Cool Gray
Material	PBT Double-Shot


Profile	Cherry
Demo	
Model	World Tour Tokyo R2 Multi-Language SE
Material	PBT Dye-Sublimation


Profile	Cherry
Demo	
Model	Black & Pink – The Dancer Version
Material	PBT Double-Shot


Profile	ASA
Demo	
Model	ASA Shine-Through
Material	PBT Double-Shot


Profile	ASA
Demo	
Model	ASA Clear
Material	PC (UV Printed)


Profile	ASA
Demo	
Model	Periwinkle Very Peri
Material	PBT Double-Shot

Profile	ASA
Demo	
Model	Black & Rose
Material	PBT Double-Shot


Profile	ASA
Demo	
Model	Chocolate
Material	PBT Double-Shot


Profile	SAL
Demo	
Model	Black&Gold
Material	ABS Double-Shot

Profile	OEM
Demo	
Model	Sakura Jelly
Material	ABS + PC

Profile	OEM
Demo	
Model	9009
Material	PBT Dye-Sublimation



Profile	ASA Low
Demo	
Model	Black & Pink
Material	PBT Double-Shot

Profile	MDA
Demo	
Model	Black on White
Material	PBT Double-Shot



Profile	SA
Demo	
Model	Cupid
Material	PBT Dye-Sublimation





Mouse



Demo	 	
Model	AG325	
Spec	Interface	Type-C
	Macro	Yes
	DPI	200/800/1000/1500/2000/2500 (adjustable to 5000 by software)

Demo	 	
Model	AG325C	
Spec	Interface	Type-C
	Macro	N/A
	DPI	400/1200/2400/4800/7200/12800

Demo	 	
Model	Smart 1	
Spec	Interface	2.4G
	Macro	N/A
	DPI	1200

Demo	 	
Model	D1	
Spec	Interface	2.4G
	Macro	N/A
	CPI	1000

Software Solutions




Tailored Software

Yinchen proudly presents its matching software solutions for both Mac OSX and Windows, setting new standards in keyboard customization. Our comprehensive software empowers users to effortlessly customize RGB settings, program intricate Macros, and establish customized layers. Additionally, our software supports advanced features, including audio visualizers, suitable for both wired and wireless 2.4G configurations.

QMK/VIA

Yinchen is capable of integrating our keyboards with the popular open-source QMK/VIA software, based on our clients' needs. QMK/VIA offers advanced cross-platform keyboard programming, in addition to regular keyboard software, and is widely favored by custom mechanical keyboard users.





STOP BY ANYTIME



info@akkogear.com

33 Langbi Rd, Shenzhen, China